

WHAT IS CLAIMED

CLAIMS 1-11 (Previously DELETED)

CLAIM 12, 18, 19, 20-22 (Currently DELETED)

CLAIM 23 (NEW) A method of making dirt or solids vacuum able

10 by blasting said dirt or solid with a liquid bullet and said liquid bullet is
propelled by a volume of pressurized gas, comprising the steps of :
providing a vacuum conduit having a first end of said vacuum conduit
positioned in communication with said dirt or solid to be vacuumed and said
second end of said vacuum conduit being connected to a vacuum producing
15 means, and said dirt or solid which is in communication with said first end
of said vacuum conduit being blasted by said liquid bullet being created and
blasted by first filling a container with a gas, and second filling said
container with a liquid under pressure thus further compressing said gas to a
pressure equal to that of said liquid, and said container having one or more
20 orifices & one or more valves to fill or contain said gas or liquid in said
container and said container having a dispensing orifice and dispensing
valve, and third said dispensing orifice is positioned downward in
communication with said dirt or solid and fourth abruptly opening said
dispensing orifice thus said gas under pressure propels said liquid through

said dispensing orifice & dispensing valve thus said liquid bullet impacts
said dirt or solid making said dirt or solid more vacuum able.

CLAIM 24 (NEW) A method as described in claim 23 further
10 comprising the step of: providing a diaphragm within said container between
said gas and said liquid.

CLAIM 25 (NEW) A method of making dirt or solids vacuum able
by blasting said dirt or solid with a liquid bullet and said liquid bullet is
15 propelled by a volume of pressurized gas and comprising the steps of :
providing a vacuum conduit having a first end of said vacuum conduit
positioned in communication with said dirt or solid to be vacuumed and said
second end of said vacuum conduit being connected to a vacuum producing
means, and said dirt or solid which is in communication with said first end
20 of said vacuum conduit being blasted by a liquid bullet being created and
blasted by first filling a first compartment, of a container having two
compartments separated by a diaphragm, with a gas, and second filling said
second compartment of said container with a liquid under pressure thus
further compressing said gas to a pressure equal to that of said liquid, and

said container having one or more orifices & one or more valves to fill or contain said gas or liquid in said container and said container having a dispensing orifice and dispensing valve, and third said dispensing orifice is positioned in communication with said dirt or solid and fourth abruptly opening said dispensing orifice thus said gas under pressure propels said liquid through said dispensing orifice & dispensing valve thus said liquid impacts said dirt or solid making said dirt or solid more vacuum able.

CLAIM 26 (NEW) A method as described in claim 23 further comprising the step of: positioning a dispensing conduit in communication with said dispensing valve.

CLAIM 27 (NEW) A method as described in claim 25 further comprising the step of: positioning a dispensing conduit in communication with said dispensing valve.

CLAIM 28 (NEW) A method as described in claim 23 further comprising the step of: providing a process controller to sequence the opening or closing of said valves.

CLAIM 29 (NEW) A method as described in claim 25 further comprising the step of: providing a process controller to sequence the opening or closing of said valves.

10 CLAIM 30 (NEW) A method as described in claim 23 further comprising the step of: said container having one or more dispensing orifices.

CLAIM 31 (NEW) A method as described in claim 25 further
15 comprising the step of: said liquid compartment of said container having one or more dispensing orifices.

CLAIM 32 (NEW) A method as described in claim 23 or 25 further comprising the step of: positioning a dispensing conduit in communication
20 with said dispensing valve, and said dispensing conduit having one or more dispensing orifices.

CLAIM 33 (NEW) A method as described in claim 23 or 25 further comprising the step of: positioning the first end of a dispensing conduit in

communication with said dispensing valve and the second end of said
dispensing conduit in communication with said dirt or solid.